



SERIES CT-208

Conical Tip Tool with Double Protruding 'V' Radius




For Standard Round specify TD only
For Optional Flat specify TD and TDF

MTA = MAIN TAPER ANGLE

Special dimensions available upon request.
Dimensions not shown please specify.
We recommend ceramic material for all gold wire bonding for optimum results.

OPTIONAL FLAT



	TD		TDF	
	in.	mm	in.	mm
1/16	.0624	1.59	.0460	1.17
	.0784	1.99	.0630	1.60
3/32	.0937	2.38	.0880	2.24
	.1180	3.00	.0985	2.50
1/8	.1249	3.17	.0937	2.38
1/8	.1249	3.17	.1180	3.00

SAMPLE PART NUMBER: M-CT-208-1/16-1-.001-M-C-*

1. MATERIAL:

- M = Ceramic
- C = Tungsten Carbide
- T = Titanium

All other: Material Selection Guide Tool Tips

2. SERIES: CT

3. STYLE: 208

4. TOOL DIAMETER: Please specify

5. TOOL LENGTH: Please specify

9. Tool Option:

Please specify MTA (Tool-Angle) or see **Tool Options**

8. PVR / PVH:

See Option Chart below.
PVR= Protruding 'V' Radius
PVH= Protruding 'V' Height

7. FOOT FINISH:

M = Matte finish

6. BOND DIAMETER:

Please specify

RADIUS OPTION CHART	OPTION LETTER		O	P	Q	R	S
	RADIUS	in.	0	0	.0002	.0002	.0004
	μ	0	0	5	5	10	
RADIUS	in.	.0002	.0003	.0005	.0005	.0010	
	μ	5	8	13	13	25	